


**ROADWIN***Stay on your way*

CARGO LASHINGS



1.1 CARGO LASHINGS



With Ergo long handle pull type ratchet
Meet all requirements of EN12195-2

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70001A	Full set	50	LC 2500	10	0,4	Stf 500 daN /Ergo/long handle/pull type plastic zinc plated	Red	EN12195-2
A71001A	Only belt with 1 hook	50	LC 2500	9,5			Red	EN12195-2



With very long handle pull type ratchet
Meet all requirements of EN12195-2

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70013A	Full set	50	LC 2500	10	0,4	Stf 550 daN Handle length 375mm/pull type plastic zinc plated	Red	EN12195-2
A71001A	Only belt with 1 hook	50	LC 2500	9,5			Red	EN12195-2



Made from 100% polyester, according to EN12195-2
Low elongation, wear-resistant, softness, flexibility
GS tested and approved by TÜV



Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70002A	Full set	50	LC 2500	10	0,4	Stf 350 daN /plastic zinc plated	Red	EN12195-2
A70003A	Full set	50	LC 2500	12	0,4	Stf 350 daN /plastic zinc plated	Red	EN12195-2
A71001A	Only belt with 1 hook	50	LC 2500	9,5			Red	EN12195-2



Used in Krone trailers
GS tested and approved by TÜV

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70011A	Full set	50	LC 2500	10	0,4	Aluminium handle	Red	EN12195-2

1.3 CARGO LASHINGS



For use in timber transport

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70017	Full set	50	LC 2500	10	0,4	Stf 350 daN type plastic zinc plated	Red	EN12195-2
A70024	Only belt with 1 hook	50	LC 2500	9,5	-		Red	EN12195-2



Made from 100% polyester, according to EN12195-2
Low elongation, wear-resistant, softness, flexibility
GS tested and approved by TÜV

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70004A	Full set	50	LC 2000	10	0,4	Stf 350 daN /plastic zinc plated	Yellow	EN12195-2
A70005A	Full set	50	LC 2000	12	0,4	Stf 350 daN /plastic zinc plated	Yellow	EN12195-2
A71002A	Only belt with 1 hook	50	LC 2000	9,5			Yellow	EN12195-2



1




Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70014	Full set	25	LC 500	4	0,3	Zinc plated	Yellow	EN12195-2



Used in refrigerated semi-trailers.

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70010A	Full set	50	LC 800	4	1	Steel handle	Blue	EN12195-2



Picture 1

Picture 2

Picture 3

To secure vehicles on flat beds, car transporters and trailers
With belts 100% polyester, low elongation 4%, long-life material
GS tested and approved by TÜV

Roadwin	Width, mm	daN	Full length, m	Length of short part, m	Length of green part, m	Ratchet	Color	Specifications
A70006A picture 1	50	LC 2500	2,5	0,3	0,73	Plastic zinc plated	Blue	EN12195-2
A70007A picture 2	50	LC 1600	2,5	0,3	-	Plastic zinc plated	Blue	EN12195-2
A70008A picture 3	50	LC 1600	2,5	0,3	-	Plastic zinc plated	Blue	EN12195-2
A70009A picture 3	35	LC 1500	2,5	0,3	-	Plastic zinc plated	Blue	EN12195-2

A70012



Plastic handle



Hook ø 13mm



A70027 / A70029 / A70030



Rubber handle



Hook ø 11,3mm



Reinforced edges

Roadwin	Width, mm	daN	Full length, m	Length of green part, m	Ratchet	Color	Specifications
A70012A	50	LC 2500	2,5	0,75	Plastic zinc plated	Blue	EN12195-2
A70027A	50	LC 1500	2,5	0,75	Soft rubber handle/zinc plated	Blue	EN12195-2 3 tons
A70029A	50	LC 2500	2,5	0,75	Soft rubber handle/zinc plated	Blue	EN12195-2 5 tons
A70030A	35	LC 1500	2,5	1,3	Soft rubber handle/zinc plated	Blue	EN12195-2 3 tons

1.7 CARGO LASHINGS



To secure vehicles on flat beds, car transporters and trailers
With belts 100% polyester, low elongation 4% at LC, long-life material

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70021	Full set	50	LC 1500	3,2	-	With swivel J hook	Blue	EN12195-2



Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
A70015	-	25	LC 200	4	-	Zinc plated	Red	EN12195-2

LOAD BINDER


A74001
daN

12600

Lenght, mm

3500

QUICK ROLL


A73001

Strap is not included

1



CORNER PROTECTORS

Improved protection against the effects of sharp edges and abrasive surfaces


A80001
Material

Polyethylene

Used for

50 mm strap

Color

Black


A80002
Material

Polyethylene

Used for

50 mm strap

Color

White