



**ROADWIN**


Stay on your way

**CARGO LASHINGS**




"O.E.M and other manufacturers names, part numbers and images are used for reference only"

## 1.1 CARGO LASHINGS




With Ergo long handle pull type ratchet  
Meet all requirements of EN12195-2

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70001A</b>	Full set	50	LC 2500	10	0,4	<b>Stf 500 daN</b> /Ergo/long handle/pull type plastic zinc plated	Red	EN12195-2
<b>A71001A</b>	Only belt with 1 hook	50	LC 2500	9,5			Red	EN12195-2



With very long handle pull type ratchet  
Meet all requirements of EN12195-2

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70013A</b>	Full set	50	LC 2500	10	0,4	<b>Stf 550 daN</b> Handle length 375mm/pull type plastic zinc plated	Red	EN12195-2
<b>A71001A</b>	Only belt with 1 hook	50	LC 2500	9,5			Red	EN12195-2



Made from 100% polyester, according to EN12195-2  
 Low elongation, wear-resistant, softness, flexibility  
 GS tested and approved by TÜV


Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70002A</b>	Full set	50	LC 2500	10	0,4	<b>Stf 350 daN</b> /plastic zinc plated	Red	EN12195-2
<b>A70003A</b>	Full set	50	LC 2500	12	0,4	<b>Stf 350 daN</b> /plastic zinc plated	Red	EN12195-2
<b>A71001A</b>	Only belt with 1 hook	50	LC 2500	9,5			Red	EN12195-2



Used in Krone trailers  
 GS tested and approved by TÜV

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70011A</b>	Full set	50	LC 2500	10	0,4	Aluminium handle	Red	EN12195-2

## 1.3 CARGO LASHINGS



For use in timber transport

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70017</b>	Full set	50	LC 2500	10	0,4	<b>Stf 350 daN</b> type plastic zinc plated	Red	EN12195-2
<b>A70024</b>	Only belt with 1 hook	50	LC 2500	9,5	-		Red	EN12195-2



Made from 100% polyester, according to EN12195-2  
 Low elongation, wear-resistant, softness, flexibility  
 GS tested and approved by TÜV

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70004A</b>	Full set	50	LC 2000	10	0,4	<b>Stf 350 daN</b> /plastic zinc plated	Yellow	EN12195-2
<b>A70005A</b>	Full set	50	LC 2000	12	0,4	<b>Stf 350 daN</b> /plastic zinc plated	Yellow	EN12195-2
<b>A71002A</b>	Only belt with 1 hook	50	LC 2000	9,5			Yellow	EN12195-2




Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70014</b>	Full set	25	LC 500	4	0,3	Zinc plated	Yellow	EN12195-2



Used in refrigerated semi-trailers.

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70010A</b>	Full set	50	LC 800	4	1	Steel handle	Blue	EN12195-2

# 1.5 CARGO LASHINGS



Picture 1

Picture 2

Picture 3

To secure vehicles on flat beds, car transporters and trailers  
 With belts 100% polyester, low elongation 4%, long-life material  
 GS tested and approved by TÜV

Roadwin	Width, mm	daN	Full length, m	Length of short part, m	Length of green part, m	Ratchet	Color	Specifications
<b>A70006A</b> picture 1	50	LC 2500	2,5	0,3	0,73	Plastic zinc plated	Blue	EN12195-2
<b>A70007A</b> picture 2	50	LC 1600	2,5	0,3	-	Plastic zinc plated	Blue	EN12195-2
<b>A70008A</b> picture 3	50	LC 1600	2,5	0,3	-	Plastic zinc plated	Blue	EN12195-2
<b>A70009A</b> picture 3	35	LC 1500	2,5	0,3	-	Plastic zinc plated	Blue	EN12195-2

A70012



Plastic handle



Hook ø 13mm



A70027 / A70029 / A70030



Rubber handle




Hook ø 11,3mm



Reinforced edges


Roadwin	Width, mm	daN	Full length, m	Length of green part, m	Ratchet	Color	Specifications
<b>A70012A</b>	50	LC 2500	2,5	0,75	Plastic zinc plated	Blue	EN12195-2
<b>A70027A</b>	50	LC 1500	2,5	0,75	Soft rubber handle/zinc plated	Blue	EN12195-2 3 tons
<b>A70029A</b>	50	LC 2500	2,5	0,75	Soft rubber handle/zinc plated	Blue	EN12195-2 5 tons
<b>A70030A</b>	35	LC 1500	2,5	1,3	Soft rubber handle/zinc plated	Blue	EN12195-2 3 tons



To secure vehicles on flat beds, car transporters and trailers  
 With belts 100% polyester, low elongation 4% at LC, long-life material

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70022</b>	Full set	50	LC 2500	3	0,3	With swivel J hook	Blue, purple	EN12195-2 Sling capacity 2000 kg/m
<b>A70023</b>	Full set	35	LC 1500	3	0,3	Plastic zinc plated	Blue, green	EN12195-2 Sling capacity 2000 kg/m

## WHEEL BLOCKS



## 1.7 CARGO LASHINGS



To secure vehicles on flat beds, car transporters and trailers  
 With belts 100% polyester, low elongation 4% at LC, long-life material

Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70021</b>	Full set	50	LC 1500	3,2	-	With swivel J hook	Blue	EN12195-2



Roadwin	Application	Width, mm	daN	Full length, m	Length of short part, m	Ratchet	Color	Specif.
<b>A70015</b>	-	25	LC 200	4	-	Zinc plated	Red	EN12195-2

## LOAD BINDER

	<b>A74001</b>				
	<table border="1"> <tr> <th>daN</th> <th>Length, mm</th> </tr> <tr> <td style="text-align: center;">12600</td> <td style="text-align: center;">3500</td> </tr> </table>	daN	Length, mm	12600	3500
daN	Length, mm				
12600	3500				



## QUICK ROLL

	<b>A73001</b>	
	Strap is not included	

## CORNER PROTECTORS


Improved protection against the effects of sharp edges and abrasive surfaces

	<b>A80001</b>							
	<table border="1"> <tr> <th>Material</th> <th>Used for</th> <th>Color</th> </tr> <tr> <td style="text-align: center;">Polyethylene</td> <td style="text-align: center;">50 mm strap</td> <td style="text-align: center;">Black</td> </tr> </table>	Material	Used for	Color	Polyethylene	50 mm strap	Black	
Material	Used for	Color						
Polyethylene	50 mm strap	Black						

	<b>A80002</b>							
	<table border="1"> <tr> <th>Material</th> <th>Used for</th> <th>Color</th> </tr> <tr> <td style="text-align: center;">Polyethylene</td> <td style="text-align: center;">50 mm strap</td> <td style="text-align: center;">White</td> </tr> </table>	Material	Used for	Color	Polyethylene	50 mm strap	White	
Material	Used for	Color						
Polyethylene	50 mm strap	White						

## 2.1 CARGO BARS AND PLANKS

2



An adjustable cargo bar for securing cargo within a cargo hold  
 The assembly includes a rigid beam having a rod inserted through the beam  
 The rod is movably adjustable respective to the beam and is provided with a surface for contacting and securing the cargo  
 The assembly also provides a stop to prevent the rod from moving once the surface is positioned against the cargo  
 The cargo bar is an easy-to-use solution to hold your truck bed cargo in place

Roadwin	Diameter, mm	Dimensions, mm	Material
A90001	42	2360...2720	Aluminium
A90002	42	2650...3020	Aluminium
A90003	42	2360...2720	Steel






Roadwin	Diameter, mm	Dimensions, mm	Material
A90014	42	2210...2590	Aluminium



Roadwin	Profile, mm	Dimensions, mm	Material
A90011	35x35	1880...2852	Steel



Roadwin	Profile, mm	Dimensions, mm	Material
A90012	82x66	2310...2590	Aluminium




## 2.3 CARGO BARS AND PLANKS

**A11012**





Material	Dimensions, mm
Aluminium	25x120x3200

2




Roadwin	Specification
A90021	Galvanized

Steel C: 2.5mm, 2.75mm, 3.0mm, Aluminum C: 3.0mm




Roadwin	Specification
A90023	Galvanized

Steel C: 2.5mm Aluminum C: 3.0mm



Roadwin	Specification
A90022	Galvanized

C: 2.0mm, 2.5mm



Roadwin	Specification
A90024	Galvanized






Made of highly pressed rubber granule (recycled material)  
 Improve the security of the load thanks to the high sliding friction coefficient  $>0.6$   
 Temperature range  $-40/+115$  C  
 Help you keep things from shifting during transit by offering invaluable non-slip solutions to many of the obstacles one may face while travelling  
 Effectively grip items in place, preventing movement or spillage. The pads are available in a variety of shapes, sizes and colors


Roadwin	Material	Dimensions, mm	Color	Packaging
<b>A12001</b>	Rubber	250x5000x8	Black	Roll
<b>A12002</b>	Rubber	250x5000x6	Black	Roll

## 4.1 WHEEL BLOCKS




For vehicle transporters with perforated sheets.

Roadwin	System	Bolt distance, mm	Coating	Side
<b>A91001</b>	Kassbohrer	360 / 440	Zinc-plating, powder-coating	Right
<b>A91002</b>	Kassbohrer	360 / 440	Zinc-plating, powder-coating	Left



For vehicle transporters with perforated sheets.

Roadwin	System	Bolt distance, mm	Coating	Side
<b>A91003</b>	Kassbohrer	360 / 440	Zinc-plating, powder-coating	Left
<b>A91004</b>	Kassbohrer	360 / 440	Zinc-plating, powder-coating	Right



For vehicle transporters with perforated sheets.

Roadwin	System	Coating	Side
<b>A91005</b>	LOHR	Zinc-plating	Left
<b>A91006</b>	LOHR	Zinc-plating	Right



For vehicle transporters with perforated sheets.

Roadwin	System	Coating	Side
<b>A91007</b>	LOHR, Rolfo	Zinc-plating	Left/right

